

BenchReady Blade Sharpening Log

Version 1.0 — Print and keep one page per blade.

BenchReady — benchready.polsia.app

PER-BLADE TRACKING LOG

Print one copy of this block per blade. One row per sharpening event.

Blade ID:		(e.g. TS-01)
Blade Type:		(carbide table saw 10", HSS planer, jointer, bandsaw, dado, scroll)
Install Date:		(mm/dd/yyyy)

Sharpening Date	# on this blade	Service / who	Cost	Cut Quality Notes

Next service due: (date / trigger)

SHARPENING FREQUENCY REFERENCE

Blade Type	Frequency
Carbide table saw (10")	Every 8–12 weeks of moderate use, or at first sign of tearout
HSS planer knives (matched set)	Every 20–40 hours of run time
Jointer knives	Every 15–25 hours
Bandsaw blade	Replace — do not sharpen
Dado set	Every 20–30 hours, inspect after heavy chipboard runs

SIGN-OF-REPLACEMENT CHECKLIST

Replace — do not sharpen — if any of these apply.

- ☐ Cracks anywhere in the plate
- ☐ Two or more missing / chipped teeth
- ☐ Visible warping (blade will not track true)
- ☐ Severe pitting or heat discoloration on the cutting edge
- ☐ Delamination on stacked dado blades
- ☐ Carbide tooth worn flat (under ~3 mm of tooth height)
- ☐ Original blade cost under \$40 (replace — do not sharpen)